

FRONT BUMPER KIT



P/N 2882020

APPLICATION


Verify accessory fitment at Polaris.com.

BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference and parts ordering information.

KIT CONTENTS

This Kit includes:



REF	QTY	PART DESCRIPTION	PART NUMBER
1*	4	Hex Bolt, M8 X 1.25 X 55	-
2*	4	Spring Lock Washer, M8	-
3	1	Front Bumper	-
4*	4	Washer, M8	-
5*	4	Taper Lock Tube	-
	1	Instructions	9927262

Items marked (*) are included in Hardware Kit PN 2206398.

TOOLS REQUIRED

- 13mm Socket and Ratchet
- Extension

IMPORTANT


Your FRONT BUMPER KIT is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris. For your safety, and to ensure a satisfactory installation, perform all installation steps correctly in the sequence shown.

ASSEMBLY TIME

Approximately 15 minutes

INSTALLATION INSTRUCTIONS


1. Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.
2. Install four taper block tubes ⑤ on front bumper weldment ③ using screws ①, spring washers ②, and washers ④. Do not tighten screws at this time.




3. Install bumper assembly ③ onto front fascia (A) by inserting four wedge mounts into the holes in fascia. Push on bumper and tighten all four screws ①.

NOTE

If bumper is not installing properly, loosen the four bolts, align and reinstall.



4. Final front bumper ③ installation as shown below.



COMPATIBILITY

Front bumper kit is compatible with following accessory kits.

- Bodyguard Kit (PN 2882090)
- 13" Lightbar Kit (PN 2880530)
- 12" Lightbar Kit (PN 2879500)
- LED Light Kit (PN 2878715)
- Lightbar Kit (PN 2882078)

FEEDBACK FORM

A feedback form has been created for the installer to provide any comments, questions or concerns about the installation instructions. The form is viewable on mobile devices by scanning the QR code or by clicking [HERE](#) if viewing on a PC.

